



www.asnewprinting.com.au

Try the as new advantage

Product Catalog

Sunday, May 20, 2012

Commitment to Quality

As New Printing is committed to bringing you products of the highest quality. From aligning your printing equipment with your business needs to an end-to-end strategy for printing requirements, As New has the experience and expertise that you need.

Head Office:

SUITE 1808 56 SCARBOROUGH STREET
SOUTHPORT 4215, Australia

Email:

sales@asnewprint.com.au

Website:

www.asnewprint.com.au

Phone:

+61 7 5503 0244

Fax:

+61 7 5677 0662

1 Colour Presses

Machine ID	Model	Details
26801	Heidelberg GTO 52NP	conventional dampening, Approx. 25 Mil imp, 1 perforating arms & wheels and 2 numbering machines, plus all associated tools, free from damage, WITH Dampener Washout unit that goes with this machine good condition
26785	Heidelberg GTO 46NP	Impressions: 49,600,000 Bare Back Dampening System conventional dampening, working condition, standard accessories, New Rollers
26745	Heidelberg GTO 52	Single colour GTO 52 with numbering unit conventional dampening
26737	Heideberg KOR	black KOR which does 40 x 57 with 2 trolleys and 1 feedboard the operator has done 4 colour work on it In very good condition
26655	AB Dick CENTURY 3000	standard machine , working condition
26654	Itek 3980	Kompak and NPI unit 3,650,000 impressions Operator and Parts manuals available. excellent working condition
26616	Itek 985NPI	STANDARD MACHINE ,3 Numbering Boxes ,Rollers OK Press Still in daily operation. On our floor WORKING CONDITION
26585	Heidelberg MOENP	Conventional Dampening system, Powder Spray with Numbering and Perf, 61 Mil Imp, will come with 2 x feeder boards and 2 trolleys, user manual and other diagrams for the machine. All spare rullers (new and used- lots of them) will also come with machine. Geared for numbering with unit included; sheet to sheet feeder; Sheet Size: 48.0 x 65.0 cm / 18.9 x 25.6 inches
26532	Heidelberg Kord 64	Conventional dampening, Cylinders free from damage. Code 2
26531	Heidelberg GTO 46	conventional dampening, Cylinders are free from damage. .Code 2
26502	Roland praktika 00NP	good machine comes with numbering and perforating standard accessories and manuals code 1



26155	Solna 124	in good condition, conventional dampening, spray unit, tools, manuals.
26149	Heidelberg GTO 46 NP	comes with standard accessories , manuals , numbering and perf still in production .code 1
25177	Heidelberg GTO 52 NP	with bareback dampening; includes numbering unit and bar, 1 convex and 1 straight box and 1 cam; numbering and perf; still in production ; code 1
24798	Hamada 700 CDX NP	GOOD WORKING condition, numbering and perfecting, 8 numbering boxes. Includes spare parts, manuals and standard tools, air pump; Cylinders in good condition; ON OUR FLOOR code 1
24741	Roland Pratika	Numbering and Perf; Varn Dampening; 350 x 520 ; no damage to cylinders and gears; standard tools and accessories (include grease gun, spanners, mounting blocks if printer wants to use 2nd colour) ; working condition.ON OUR FLOOR code 1
24621	HeidelLberg GTO52 NP	conventional dampening, numbering and perf; 43 mill imp; good working, Standard numberng boxes. Condition. Code 1
24294	Heideberg gto 46 np	conventional dampng, standard accessories code1
24151	Davidson Fairchild x	Can do numbering and perf ; cloth dampening system; ROLLERS;will do 430mm. machine good for its age. No numbering boxes. On our floor. code 1.
23455	Heidelberg GTO 52 N	Varn Kompac Dampening, Numbering Unit, Approx. 39 Million Impressions, 1 perforating arms & wheels and 2 numbering machines, plus all associated tools. Good Working Condition. Code 1B.
22991	AM Multi Multilith 1650 XE	Varn Compact II dampening.OMC pulsarPowder spray unit. Comes with a envelope feeder. On our Floor.
22950	Heidelberg KORD 64	Conventional dampening, working condition. Code 1 VIEW MACHINE ONLINE http://www.youtube.com/watch?v=fJRH CZIYHI0&feature=youtu
22472	Hamada Duetto11	Molleton dampening, 1/1 perfecting, sheet feed, Max Sheet Size :315mm x 450mm ; remote plate register; 220-240V, On our Floor ; Code 1

2 Colour Presses

Machine ID	Model	Details
26811	Heidelberg SM 52 2	ALCOLOR dampening, working condition
26807	Ryobi 512	conventional dampening, tools, manuals working condition
26799	Shinohara 52 2P	Computer Controls POD touch screen on press, perfecting, Semi Auto Plate Change, Superblue 2nd unit only, Alcohol damping Baldwin Automix , Powder spray , Auto Blanket & Roller Wash,Plate Cylinder Cocking manual dials on both units. Approx. 7.5 Mil Imp,low pile, with DPX CTP UNIT, plus version - can add numbering and perforating device.
26787	Shinohara 52-2PNP	conventional dampening, working condition, standard accessories- small damage to numbering unit bar-welded back ,Bourg BS 10 towers - FOLD /COLLATE/TRIM - HEAD TRIMS - MID TO LATE 1990'S
26741	Miller TP104	2 colour Perfector 1 over 1 with Miller meter alcohol dampening system will do 740 x 1040mm sheet size in excellent condition manual plate change manual wash up . Code 1
26717	Ryobi 522 GX	Ryobimatic continious dampening the total amount of REVOLUTIONS is: 24,203,870 Powder sprayer Grafix Semi RPC (semi auto plate loader) automatic Ink roller washing device Blanket washing device - automatic Cooling and recirculation technotrans Suction tape feeder table Complete and in working condition
26709	Heideberg SM102-2-P	
26652	Koenig & Bauer 720	Max sheet size 720 x 510 minimum Sra3 Runs up to 14000 sheets per hour. Good condition Superb print quality and registration. High pile model ,Mabeg feeder Well maintained but now surplus too requirements. Lots of spare roller shafts and few spare rollers .
26466	Heidelberg GTO 52	varn dampening, numbering perforating,standard accessories, 26 Mil Imp. Well maintained working condition.



26376	Heideberg SM52 2	Alcolor: dampening system with automatic pre and post dampening, Refrigeration: dampening fluid refrigeration system Autoplate: automatic plate change, Powder spray Impressions: Approx. 57 MIL IMP With Numbering & Perf Unit Excellent condition.
26317	Roland 202	series 236 rolandmatics,weko powder spray, approx. 42 mil imp working condition, RUNNING 4 COLOUR WORK
26224	Shinohara Fuji 52 NP	Max sheet 520 x 360 Min sheet 105 x 148 In operation Standard molleton dampening No damage Swing away numbering & perforating unit 4 numbering boxes Manuals
25853	Shinohara 66IIP	
25676	Sakurai 258 E11	41.2 million impressions, Alcohol dampening, Good condition Auto plate Plate cocking both units No auto washers Max sheet size: 460 x 580 mm. Code 2
25519	Ryobi 512	low pile Alcohol dampening Good Condition (maintained to factory specs by Ryobi tech) It is low pile Alcohol dampening; Condition Excellent (maintained to factory specs by Ryobi tech); Does NOT have Number and perf
25195	Roland R 202TOB	Rolandmatics, 3 gripper system, weko spray,quick action plate clamps,53 Mil Imp.Working condition.Max Sheet Size:520 x 740mm Series 246. Availabe Now.Code 1B ON OUR FLOOR.
25104	Ryobi 3302	Molleton dampening, working condition.Standard machine Code 1
25103	Heidelberg GTO 52ZPNP	approx. 62 Million Impressions,Conventional dampening, Numbering & Perfecting ; has all appropriate perf & score arms;2 numbering boxes: forward, backward, convex & step.standard accessories; good working condition ; Code 1
24871	Solna 225	Two tone gray; 19x25" ; conventional dampening, pre-loader; still being used; working condition. 2 light scratches in number 2 unit; Ink Rollers - Medium; Dampers - fair; Standard tools and accessories; operators manual, parts manual, electrical diagrams. Code 1
24816	Heidelberg PM46 2NP	Two colour Printmaster approx 3.9 Million impressions. Wheel away numbering unit Auto Wash Auto Plate.1 NUMBERING BOX Includes standard Tools, accessories and manuals. Free from Damage. Good condition. ON OUR FLOOR.



24416	Hamada C252 C SF	Conventional Dampening,Chrome Cylinders; quick action plate clamps,new rollers, powder spray,No Damage to Cylinders, Wt: 2 ton/2000 kg; Available Now. In working condition. Code 1C.
23781	Heidelberg GTO 52ZNP	Perfecting,approx. 62 mill Imp; Crestline Dampening System (equivalent to Varn dampening); Standard machine; Numbering & Perf; cylinders good; rollers been replaced; On our floor. Code 1
22774	Hamada HMD 248	Approx 16 Million Impressions, Kompac dampening, sheet fed, good condition, landscape, replaced form rollers. Max sheet size - 480 mm x 365 mm. Min sheet size - 88 mm x 144mm. Delivery pile capacity 17-1/4". 3 Phase/415V 50/60 Hz 20 A. Can do 300gsm. Uses 16 amps; On Our Floor. Code 1.
22550	Ryobi 3302 H	4 million impressions, 340 x 450 mm 90 x 130mm, standard machine, single phase,complete and with all standard accessories, all tools and service manuals,Single Phase.No operators manuals. Can be inspected. It has dampening solution cooling/circulation device. This continuous dampening original system came with the machine.10,000 sph Will handle 60gms easily. 3 trolleys, 2 feed boards, Machine runs well and is in excellent condition. Machine has been cleaned. Machine can do envelope work very easily.Portrait Machine, ON OUR FLOOR

4 Colour Presses

Machine ID	Model	Details
26771	Heidelberg MOVP-S	50 millimps Suction stream feeder Bare back alcohol dampening Cooling + recirculation unit Quick action plate clamps Convertible perfecting 2/2 or 4/0 Powder spray unit Low pile delivery
26753	Heidelberg SM 102 VP	Baldwin alcohol dampening,quick action plate clamps, Weko spray,59 mil imp,CPC 1.01, working condition
26692	Komori L 428 ES	PQC - Print Quality Controler Komorimatic Dampening Aquapress Recirculation and Refrigeration, Chrome Cylinders Automatic Blanket Washers Automatic Ink Roller Washers,Chrome Cylinders Weko T77c Powder Sprayer Approx 45 Million Impressions In Production.NO SAPC Available Now
26685	Roland Favorit RVF OB 229	SERIES 229, Counter not working; Max. Paper Size: 520 x 720 mm; Speed: 10,000 sheets per hour; Dampening: Conventional, IR dryer Condition: Very good. Had significant refurbishment in 1996;

5 Colour Presses

Machine ID	Model	Details
26796	Heidelberg CD74-5-P3-C	Max Paper Size: 520 x 740mm, Max spd: 15000, Maybeg feeder system, suction feeder board, Technotrans CP2000 Printing control, system semi autoplate change system, ink roller temperature control system, automatic blanket cleaning, automatic roller cleaning, automatic impression counter, Grafix Powder star CD74 spray system, hile pile delivery, IR drier, Pile height 1220mm, Very Good working order
26731	Komori 540 EH	Approx 153 Million Impressions Sheet: 720 x 1,030mm to 360 x 520mm, Image size: 705 x 1,020mm, Plate: 800 x 1,030mm, Max Speed: 15,000 iph, Feeder: 1,150mm, Delivery: 1,150mm, Power: 54 kW (excluding drying), IR dryer 18 kW, Fully auto plate, Auto ink wash, Auto blanket wash, Ink temp control, PQC type IV, KMS IV,Size and thickness preset
26702	Heidelberg SM 74 5LX	F Format CP2000 Autoplate Auto Wash up Ink temperature control Non-stop feeder Extended Delivery - X2 Weko Powder Sprayer Aqueous coating unit with Anilox Chamber/Doctor Blade Alcolor Dampening with Vario Heidelberg DryStar IR dryer Approx. 125 million impressions
26691	Shinohara 52 5HP	2/3 perfecting,high pileApprox 62M auto plate blanket and roller plate cocking Baldwin damp CIP-3 IR drier.
26688	Komori L 540	PQC console cooling, Komorimatic ,Technotrans ,APC - IVT dryer , Ink control temperature - Rollers + blankets + cylinders automatic washing, Weko T 77 C powder spray, SAPC, plate punch bender Impression count Approx 155 Impr extraction system goes with the machine
26272	Komori Lithrone 528 ES	Komorimatics, quick action plate clamps,Approx 67 mil imp Can be seen in operation .Good for age

6 Colour Presses

Machine ID	Model	Details
26800	Heidelberg CD 102 6 L	Classic Center Console CPC 1.04 with CPTronic Alcolor Dampening with Vario Autoplate semi automatic plate change Auto Roller and Blanket washing Grafix IR Dryer Grafix Powder Sprayer Approx 90 million impressions.Very clean Venturi Sheet Guide Plates between the units (Air Transfers) No cylinder problems Available Now
26782	Komori L 628	KMS Komori Management System,Approx.130 Mil Imp Also includes CIP3,PQC console,Paper thickness and size preset facility, speed for L528 - 15,000; paper thickness 450-480 gsm, Auto size and impression, Technotrans ink dosers, Dust extraction unit , Plate scanner ,Auto washup, Auto Blanket wash, Plate cocking, IR dryer,chilled rollers, Includes,plate punch and bender with optical screens . Available June 2012 MACHINE CAN BE VIEWED: PART 1 http://youtu.be/OW2S_ZOeDE8 AND PART 2 http://youtu.be/Jz0KKD0QwzA
26716	Heidelberg SM 74 6P3 L	CPC 1.04; CP tronics; Alcolor Damps; Royce recirculation; 2 roller coater; Ink Roller Wash; Blanket Wash ;Auto Plate; Royce recirculation (6 tanks); Non Stop Feeder; Electronic Double sheet detection ; Pull Lay Control ; Non Stop Delivery with Rack; IR Dryer ; Sheet Decurler; Impressions: 152mm; Electrics: 480V 60Hz Availability: Immediate

24915 Heidelberg CD 74 6LX F UV Installed in December 2006 has 2007 specifications machine. F
FORMAT Approx 40 Mil Imp. Alcolor dampening,UV Equipment
- INTERDECK UV; 3 1ST interdeck driers, air and water cooled
(1 x 200 W/cm lamp per interdeck, cold mirror reflectors,
stepless output control, water cooled shutters, power and
control cabinets) ; 8 X 200W UV lamps ;UV PREPARATION
FOR THE COATING UNIT; IST UV - 1 after each print unit,1
after coater ; UV preparation in the delivery;UV Chamber
doctor blade system , 1x delivery with Aqueous coater; UV
inking rollers; UV dampening forme rollers; 6 preparation for
UV interdeck cassettes; extended delivery (240 cm); High pile
feeder; Elevated version (550cm) ; 2 spare chrome brand new
rollers; Drystar Combination UV end-of-press drier with 3 x 200
W/cm lamps, cold mirror reflectors, UV control console in
CP2000 design, 1 cold air cassette, Drystar 2000 combination
with CAN connection; Technotrans combination unit CombiStar,
ink temperature control with Alcosmart; non-stop feeder; non-
stop delivery with rake and secondary pile hoist; Ink move
agitators; 2nd coating circulation unit; Air supply cabinet
AirStar; 5m extended cable for control box; 12.5m extended
cable length for the CP2000 unit; 1 set oil drip pans, ultrasonic
double sheet detector; Intercom; Grafix Exatronic CAN (powder
spray device) ; special Bielomatic System kit for foil printing.
Foilstar unit can be purchased and attached; pump for water
cooling and water coller; 9 new ink combi rollers. plate punch
and bender included,ducting/exhaust pipes included,step boards
DS and OS included,It has plazma diagonal gripper pads with
steel grippers.Disconnected ready for shipment ; ex demo
machine; Installed in 2007. Dimensions : 13.25 metres (L) X 4.7
metres (W)x 2.5 metres (H) for machine alone plus ancilliary-
1.05 pre stacker and 1.5 metres.Power consumption: 200
KVA/60 MHZ Engineer who dismantled the machine is re
installing the machine at the end of April,2012 for
demonstration purposest. Has attachments for a foiler.

Bag/Box Making & Other Machines

Machine ID	Model	Details
26755	Queen QF4100P	4 colour Flexo press with re-wind and un-wind ,1 width, tools and manuals
26682	S.S flexo liner flexo	2 colour flexo machine that will do 2 meter width ,creases, slitting, prints has been fitted with new electronic speed control drives ,still in production ,code 1
26680	S.S flexo liner flexo liner	2 colour flexo printer 3.5 meters wide ,slitting, slotting has been updated with a electronic speed controled drivers , still in production,computerised electronics brand new.code 1

Bindery

Machine ID	Model	Details
26804	CP Bourg 20 Bin Collator	With Booklet Maker Attached
26778	Kolbus D4993	SMALL CASING IN MACHINE, working condition
26777	Kolbus PE 70	Hotfoil 470 x560mm, belt driven,For multiple hot foiling and embossing in one operation, up to 70 cycles per minute, Hopper Feeder Heated platen Foil unwind and rewind
26772	Rilecart TP480	480mm binding edge, touch screen For all 3:1" and 2:1" pitch from 1/4" to 1". Uses wires on spools.
26609	Duplo DC-8 mini	A3 size friction feed 8 bin table top collator with Kas stapler folder in good condition ON OUR FLOOR
26391	Horizon BQ260	Standard machine, single clamp, working condition
26304	Challenge drill	standard machine,single hole drill
25729	Duplo Folder Staple Trim	Duplo Stapler Folder DBM 120, Trimmer DBM 120T, Available Now. Code 1
25546	Muller Martini Panda	8 Clamps Type 1530 L5,12 x1531 hoppers hotmelt spine and sideglue premelt tank pile cover feeder waste removal with transfer stacker delivery all conveyers, No 3 knife trimmer attached Available now. Code 1.
25450	Horizon ST 20	Stacker X 2 to match Vac system, working condition. Code 1
25186	Uchida AR 8	10 bin collator, ISP Sticher/ Folder it is suction feed comes with 2 stitcher heads no trimmer but it is in very good condition Sheet Size: SRA3, Available Now. Code 1.

Bindery / Saddle

Machine ID	Model	Details
26752	Muller Martini 1509	Stitching heads: 3 x HK75 heads Maximum product thickness: 5mm Maximum product size: 230 x 365 Maximum speed: 8,000/hour Gathering (Collating) Machine Type: 1533 1991 Feeding stations: Six. (2 x 2 automatic stations and 1 x 2 hand feeding station). No trimmer
26751	ReNZ RSB360QST	Semi automatic, As New Condition. mobile ring wire binding machine for book, skip and calendar binding. Completely equipped to close 11 wire diameters from 3/16" - 1 1/4" (6,9 - 32 mm). Skipbinding: up to 3 times. Touch screen allows fast user-friendly setting. VERY QUICK setup time for diameter change. Max Binding width: 360mm Min. binding width: 90mm Wire diameters: 3/16" to 1 1/4" (6.9mm to 32.0mm) Max Machine speed: >1,000 cycles per hour Practical speed: 800 books* 700 calendars per hour Pitch: 3:1 & 2:1 Power Supply: 230V, 50Hz
26740	Sterling 1SF52J4B	sterling drill with 2 spare drills foot pedal control and in working condition
26713	Sheridan SP455-S	sheridan stitcher line with 6 hoppers, cover feeder, 2 head stitcher and a 3 knife trimmer, Machine is dismantled ready to be shipped code 1
26468	Muller Martini 321	Age is 1990 and condition is absolutely working condition It was working right up till plant closedown. It was working right up till plant closedown 4 x 306 - feeders 1 x 890 three knife trimmer 1 x 321 stitcher 5 x stitcher heads 1 x 1529 L6 Cover Feeder 1 x Conveyor
26460	Duplo DFC	2002 Duplo DFC 10 Collator 2002 Duplo DBM 120 Booklet Maker (Online)
26412	Sheridan 557	6 hoppers and PLUS COVER FEEDER and 3 knife trimmer, working condition
26336	Horizon VAC 100a	VAC100, 10 BIN COLLATOR, JOGGER, GOOD CONDITION, 10 BIN COLLATOR WITH JOGGER - PLUS a ST-20 offset stacker
26106	Muller martini 1509	6 station type 1533, plus 1528 cover feeder, 1522 3KT, New blade on 3KT, working condition



25593	Bourg BDT	A3 booklet maker comes with 2 x 10 bin towers , working condition. Towers being used; code 1
24960	Muller Martini 1509	6 hoppers 1533, plus 1528 cover feeder and 1522 3 KT. Working Condition Code 1
24957	Muller Martini 890	Available Now. Code 1.



CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Cylinders / Plattens / Diecutters / Foiling

Machine ID	Model	Details
26739	Heideberg t Platen	old T Platen with all ink rollers still attached in good working condition
26690	Brausse 105	Diecutter, well maintained, can run a wide range of stock from 90gsm to 600gsm board upto 4mm corrugated stock in the standard configuration. It is also capable of handling plastic stock with the optional heater chase attachment working condition
26684	shear line Super diecutter	single roll die cutter that will do up to 1400mm ,slitting , creasing still in production code 1
26670	Heidelberg GTP 32 X 46	Good condition Genuine Heidelberg Foil Stamper Can be viewed in production
26668	Bobst SP 180 E	Very good condition Forme Cut & Strip Can be viewed in production New genuine Bobst chains New electronic missing sheet detectors
26662	Heidelberg SBB	Good Condition, Sheet Size: 570 x820 mm, can be viewed in production
26647	Bobst SP 1080 E	The machine has a mechanical clutch, there are 2 chases, 4 cutting plates and 2 cutting beds. Non-stop feeder board, trolley and rails included. There are 12 cross bars in the striping unit, 14 sheet clamps and 140 pinsVery good condition Forme Cut & Strip New genuine Bobst chains – 2008 barely done 500,000 impressions, the broken sheet sensors have been replaced with new electric versions, and all the gaps in the cutting and stripping units have been guarded and micro switched - 2007 Can be viewed in production. Available August 2012
26608	Heidelberg T Platen	standard machine still with all ink rollers, comes with some furniture.ON OUR FLOOR
26558	Lyon 1400	1400mm clamp shell,working condition
26503	Heideberg s cylinder	540 x 720 black cylinder with standard accessories still in production code 1



26497	Zhesiang Donrui ML1500	clam shell diecutter with air clutch and auto lubrication system 1100mm x 1500mm, Available 6 April,2012 still in production
26481	Jin Di ML-750	clam shell die cutter that will do 750 x 520mm still in production code 1
26480	Heideberg SB	SB cylinder 770 x 540, the ink unit is still attached, comes with 2 chasis, lock up bars, tools still in production code 1
26395	MK MK920YMIII	Automatic Platen Foil Stamper; which is in excellent condition and operational ; Feeder, Dedicated Foil Stamping Unit & Delivery Unit; Cross Foil and Longitudinal Foil ; Sheet Size 650 x 910mm; cross foil as well as the normal. Thickness : specifications say 100gsm up to 600gsm. At current location run 150gsm up to 500gsm. Only run foil stamping and embossing but has all the attachments for diecutting.
26133	Heidelberg T Platen	standard machine, working condition
25865	leonard Kurz Comhos	2 X hot foil stamper that will stamp on all products (booklets , plastic, leather) A4 still in operation. Price is each unit code 1
23146	Heidelberg Platten / Cylinder Furniture	Furniture for Heidelberg T-Plattens and Cylinders - LEAD - Various Lengths up to 46 Points, mainly 22 Points or Under. Small - \$2 each, Medium - \$5 each, Large - \$10 each. Approximate 25 Perf + Greasing Rules of Various Lengths. Also have a Total of 68 Coins and 8 x Coin Keys. (A total of 68 coins and ex coins keys - \$20 each. Code 1.
23105	Heidelberg S series	Cylinder 5 X Perf Arms. Good Condition. ON OUR FLOOR \$1200 EACH
22492	Heidelberg SBB	standard machine, 57 x 82 ; working condition; can be seen operating. Code 1 Max Sheet Size 570 x 820mm.
4801	Calvi x 2 xx	Die Cutting Machine. Web/Roll Fed, electronically controlled, continuous action, complete with automatic unwind reel stand. Size : 990 mm x 485 mm (39" x 19"). Speed : approx 1 per second. Roll diameter upto 1800mm. Thickness - Solid Fibreboard 300 ums up to 800-900 ums. Very good condition. 2 machines available. Price is per machine.

Digital Machines

Machine ID	Model	Details
26643	HP SCITEX FB6100	Sheet Size: A1+ Size, This versatile series shortens turnaround time and increases productivity with production print speeds of up to 100 m ² /hr (1,070 ft ² /hr), fast-drying UV inks and a print resolution of up to 1,270 x 800 dpi on a broad range of media, including ceramic tiles, glass or acrylic boards, wooden doors and acoustic ceiling tiles three production modes new point-of-purchase POP print mode featuring speeds up to 77 m ² /hr 820 ft ² /hr Eight-color printing at speeds up to 50 m ² /hr (530 ft ² /hr) for high-quality indoor prints. Four-color printing at speeds up to 100 m ² /hr (1070 ft ² /hr) for outdoor applications. Delivers high-quality output of up to 1,270 x 800 true dpi resolution Automatically adjusts the head carriage to accommodate the thicker, thinner or irregular media with the Head Carriage Auto Elevator Converts from a flatbed to a roll-fed printer. Prints directly conventional media eg. Foam board, PVC, corrugated plastic and medium density overlay MDO/ medium density fiberboard MDF
26635	Xerox Docucolor 5000	Approx 2.3 Million ,Includes Creo Spire rip that gives superb digital color with variable information solutions.High Capacity stacker with 2 trolleys. A spare bottle of fuser oil Print Resolution 2400 x 2400 dpi.Feeds up to 8000 sheets without reloading.Decurler.Max Sheet Size:320 x 488mm Min 182 x182mm Max Image Area:316 x 480mm.Can handle 60 gm to 300gm coated (gloss,matte,dull,silk) uncoated,labels synthetics,transparencies

Envelope Machines / Misc.

Machine ID	Model	Details
26712	Stahl RF78V 2	6/4/4, 1xCross fold and machine recently re rubbered and other cross fold has average rubber condition . 32 page round pile. Working condition Available now
23301	Stenz CE	Swiss Envelope feeder. NEW! Compatible with all 36 x 52 print machines irrespective of the feed system (overlapped/single-sheet feed) Requires no mechanical alterations to the printing machine; No need for synchronization adjustments as controlled by laser technology; very short set -up time - allows economic use from 1000 envelopes upwards. Easy to operate; Design of the feeder results in a forced overlap; minimum of wearing parts for extremely long service life. speed only limited by printing machine; length - 115 cm; width 50 cm; height; adjustable between 90 - 116 cm; Max format size 26.5 x 35 cm; max pass-through width - 36.5 cm; electrical: 230 V, 50 Hz. Machine is in excellent condition, has never been used; supplier bought it but it was incompatible with their other machines. Code 1C

Folders

Machine ID	Model	Details
26770	GUK 350	pharmaceutical folder,3 UP/3DOWN, Crossfold- 3 up/3down with knife and vertical stacker.Working condition
26766	Horizon AFC-744 AKTSC – RF	Touch screen control Round pile feeder 4 x Buckle plates 2 x Cross knife folds Max sheet size: 740 x 1,100 mm Min sheet size 210 x 210 mm Noise hoods Power transformer Mobile delivery Includes Horizon slot burst kit for parallel fold section and slot burst kit for knife fold section.Standard accessories + manuals.Machine is in good working condition, still in production
26711	GUK FA35 4FE	A3 TO A4 & A4 TO DL, 4 buckles pharmaceutical delivery,the machine is wrapped up and on a pallet and in good condition hardly used.
26399	Shoei SPT 52	First Unit - 4 Buckles, 2nd Unit - 4 Buckles and knife. Total 8 Buckles on Machine and 1 knife. Able to have in a line or cross-fold. Comes with a Gatefold Attachment. Available Now. Code 1.
26355	Stahl RF-N 66.3	Stahl Folder RF-N 66.3 with 2 cross folds Station 1 is 3 over 3, station 2 is 3 over 2, and station 3 is 3 over 2 very good condition and still in production No manuals
26354	G and K FA72644KR6	Double plate Round pile folder with 2 cross folds, station 2 is 72/4 and station 3 is 52/4 it also comes with a Desta BAS-FSA 800 delivery /stacker 2001 in near new condition still in production All tools and manuals
26107	Stahl FX52A	4 buckles,NOISE HOOD standard machine. MAX SHEET SIZE:52x84 cm .FLAT PILE FEEDER,COUNTER ,A2,8 PAGE Working condition
23058	Stahl KB36	Accessory: knife unit KB36 ON OUR FLOOR CODE 1A

Folders / Gluers

Machine ID	Model	Details
26683	Mason Scott GLUER	a Mason scott trissell post gluer that has been fitted with a Pafra PDC Glue system it will do up 800mm wide still in production code 1
25741	Nordson Hot Melt Gluer	2 guns but can run up to 8 guns.with manuals.Available Now. Code 1.
25285	Guangzhou Keshenglong BF 2460	Semi-automatic. Good working condition. No known damage. code 1
3930	Straude Master MCR 898	Up to 1 Mtre Wide, Does Fibre Board, Straightline & Crashlock, 4/6 Point Glue. Max width : 1000 mm x 950 mm (depth) Min. Width : 170 mm x 150 mm (depth).

Guillotine Blades New

Machine ID	Model	Details
23153	Ideal 5250	5 blades, not carbide tipped, 25" (2 are brand new). & 5 Cutting Sticks. Brand New Blades : AUD\$275 each. Used Blades AUD\$150 each. Cutting Sticks 5 for AUD\$30. Code 1.
23152	Polar 115 ED Mohr	Blade knife, near brand new. Code 1.
23151	Polar 105 107	(9), (1295 / 1325 x 120 x 11.95 mm), \$375 Each. . Code 1.
23149	Maxima 80	(3) (1000 x 140 x 10 mm), \$375 Each. Code 1.
23148	Ideal 52	(4) (630 x 89 x 88 mm), \$275 Each. Weight - 5.3 kg. Box Dimensions - 70 x 15 x 5 cm ; Code 1.
23021	Wohlenberg A43DM	1 box, 3 knife trimmer knives.Near new

Guillotine Blades Used

Machine ID	Model	Details
23611	Polar 115	2 x 50% used blades. \$200.00 each 1 x 25% used blade \$400.00 each. Dimensions: 1600 x 250 x 50 x 30 kg; The following approx. measurements are done from the first set of bolt holes closest to the cutting edge : 75% blade is 50mm ; 50% blade is 70mm ; On our floor
3271	Polar 105	(2) (1295 x 120 x 11.95 mm), offers considered. On our Floor
3270	Wohlenberg 92	(1) (1100 x 125 x 12 mm), offers considered.
3267	Maxima 82	(1) (1000 x 140, 10 mm), offers considered.
3265	Wohlenberg 112/115	(1), (1380 (L) x 125 x 12 mm), (14 holes)

Guillotines

Machine ID	Model	Details
26774	Polar 80 HY	WORKING CONDITION, GUARDS, Available Now
26738	Maxima 80	old maxima guillotine with manual back guage ,light curtain, 1 spare blade, in working condition
26729	Maxima 106	standard machine, fully hydraulic, clamp, no safety lights.
26720	Polar 90ST	standard machine with safety light curtain, soft clamp , 2 spare blades no program still in production code 1
26703	Polar 107 ST	no program, periscope, lights, working condition.
26661	Polar 92 EMC	Full service history, safety lights , program, good condition can be view in production
26622	Polar 115 EM Monitor	Comes with extended side table, Monitor, Program, chrome centre table , spare blade, guards, working condition. Available Now.
26620	Polar 115 MON	Good Condition, Comes with Program, with extended side table, side lifter, chrome down the middle of the table In production. Available Now.
26597	Polar - Mohr 72 CS	good working order, standard machine, safety lights, single phase. On Our Floor
26500	Seypa 115MR	115 machine with saftey curtain , soft clamp and Micro cut program
26494	Schneider 132	complete with Microcut, safety lights, perfect working order. Second owner for 22 years, previously ex government printer. Selling due to down sizing to smaller premises.
26459	Morgana CT620EXA	Morgana Automatic Digital Card Cutter model CT 620 EXA spare cross cut blade, programmable, Paper size A4 SRA 4 B4 A3 SRA 3 Max 320mm width ,thickness .12mm to .40 mm, 105 gsm to 325 gsm cutting speed 7 sheets per minute, comes with manuals, brochure available. 240 volt. Dimensions: 1032 x 615 x 917mm



26419	Maxima MH 80	manual machine, 3 phase, WORKING CONDITION
26347	Polar 107Hst	Max cut: 1010 mm; 1 x spare blade, adjustable soft clamp, safety light curtain fitted, air table, hydraulic side lifters, tools.
26319	Horizon PC64	Standard machine, no program, safety lights, 640 mm width, max lift 7cm Dimension: 990 x 1120 x 1280mm weight 290 kg Single phase
25674	Schneider 115 ELINE	standard machine, Still in production, tools, manuals, light curtain, chrome air table and a pile lifter Good working Condition. It is mechanical drive (not hydraulic) Code 1
25157	Polar 107 ST	fitted with a microcut Program. Soft clamp; tools; 2 spare blade On our floor Available Now. Code 1A
23898	Powercut 94	with Air Table; Max cut: 940mm, working program, good condition; stainless steel table front section only; safety light curtain; 1 spare blade some tools can be seen working. A2+; Made in Thailand. ON OUR FLOOR. Code 1
23556	Polar 107	Glass Rule. Brand New. On Our Floor. Code 1 A.
23286	Bauman Stacklift NU1000L	Accessory for a guillotine, 3 phase, 415 Volt, stacklift with pneumatic top clamping and aeration, needs to be connected to main compressor. Excellent condition. Pre cut machine. Needs a 10 cubic foot compressor. On our floor. Code 1
22857	Itoh Itoh Guillotine Parts	Variety of Spare parts. See attached list for detailed description. Photos can be sent on request. ON OUR FLOOR. CODE 1
22464	Herless Metal	1. 2 metres metal guillotine In working condition. On our floor. Code 1. The guillotine is a foot operated light weight sheet metal cutter, and could do any sheet up to 2.5mm thick and 1200mm wide. It is completely manual and has no hydraulic system. It will not cut paper or plastic, it is designed for light sheet metal only.
22240	Wohlenberg 115	New Blade. Magnetic Tape. Used manually. Manuals included. Code 1.

Label Presses & Accessories

Machine ID	Model	Details
26798	Mark Andy 4150	UV, 10" , 2 x GEW Nuva lamps with auto controller. 2 x print units, with constant turning anilox"s with auto plate lift. 2 x die cutting modules 30" unwind, web guide and spicing table 30" Greystone rewind unit (wide range of tension setting) Sheeting station Adaptors to run Kopack Tooling New adjustable cutting anvil (un-used) RD Scorer back cutter Magnetic Cylinders 93t, 96t,100t,112t Print Cylinders (x2), 62t, 63t, 65t, 69t, 72t, 74t, 78t, 84t, 90t, 93t, 96t, 100t, 128t. Air tint sleeve cylinder with adjuster Plate mounter Spare parts..Total rebuild from 6 years ago-2006
26797	Kopak 250S	7 colour, (5 around drum, 2 x satellite) 800mm drum.UV lamps around drum and satellite Print decks (all print units rebuilt late 2011) Rotary and Flatbed die cutting units 30" unwind, web guide and spicing table Laminator Turn bar Hot plate RD Scorer back cutter Magnetic Cylinders- 68t, 74t, 78t, 82t, 88t, 96t, 134t Flatbed Gears- 58t, 60t, 62t, 65t, 68t, 72t, 75t, 78t, 80t, 86t, 90t, 96t, 100t, 104t, 108t, 116t, 130t, 134t Print Cylinders- 1x58t, 2x60t, 5x62t, 6x65t, 5x68t, 6x72t, 5x74t, 5x75t, 6x78t, 6x80t, 6x82t, 5x86t, 7x88t, 5x90t, 6x96t, 6x100t, 7x108t, 5x116t, 4x134t.Air tint sleeve with adjuster Lots of spare parts including 800mm drum, recondition print deck. A large selection of flatbed cutting dies A wide range of UV letterpress ink.No to cold foil. Optional Additions: Plate maker A2 Size Flexo Technology equipment ,Exposure/ Water Wash Out/ Dryer New Wash Out Brushes.Currently making all Letterpress plates.Foiling machine Rapid ROP250 Made to run inline (Control cabinet included)

26758

Markem 195

Hotfoil/die cut machine all electrics renewed in 2001 - approx \$20,000 was spent 2-3 years ago. Does 3,000 strokes per hour. The machine has 1 print head and 1 cutting head, 195mm in width. The machine has flatbed diecutting with an infinite pull length/repeat, which is determined by a servo computer controller. Label sizes - max print area 100mm x 100mm, max die cut 100mm x 100mm, max stock feed length 110mm, production rates 195 and 195RR, approx. 80 labels per minute, core inside diameter variable 70 to (2 3/4" - 3") - 75mm, max width of materials 115mm (4 1/2"), max diameter label 350mm (13 3/4"), core inside diameter 25mm, max diameter of foil 135 mm, 240V single phase 50 Hz neutral and earth 0.55 KW. Operators Manual. On Our Floor. VIDEO
<http://www.youtube.com/watch?v=5-UkAe0Dwh8> . CODE 1

26744

Sanjo SP4L R

200mm web.4 colours plus flexo varnishThis machine also has two rotary die stations & a flatbed die cutting station. There are also three UV lamps, but conveniently has a sheeter fitted onto it when needed. This machine has nip rollers, so you can laminate.Good condition for age. Many dies and cylinders.Flat bed cutter is run by gearing, the machine takes 45 amps to run, there are various cylinders such as 64t 80t and 96t.Three magnetic cylinders also, there Approx 1000 flat bed dies to go with it, etc Available now VIEW MACHINE ON YOUTUBE:
<http://youtu.be/F4fDEBw5DB0>

26525 Mark Andy 820

200mm wide web ,single phase, 3 colour flexo, machine that does diecutting, laminating, perforating , crimping comes with lots of accessories,several embossing and cutting tools, a laminating accessory, The machine was used to print our pp ribbons....usually 2,3 Or 4 colours on 500-1000yd. x 7" rolls on 3"ID core.Slit on line or off line depending on the job. Main job was to print on to 15-20 micron metalized film and then laminate that printed film onto the pp substrate.The machine comes with its own table and steel drawer accessory cupboard tools and manuals.Including Printing :one to three colours ,7 inches (17.8cm) wide with repeat length from 3.125 inches(7.94cm) minimum when 5/8 inch (15.9mm) spindle is used, 3 3/4 inch (9.5cm) minimum when 7/8 inch (22.2mm) spindle is used, to 15 inches (38.1 cm) maximum with either size spindle. 1/8 inch (3.2mm) circular pitch is standard, 32 diametrical pitch or 1/16 inch (1.6mm) circular pitch is optional. Diecutting: 3 positions for diecutting 7 inches (17.8cm) maximum wide, with repeat length 4 inches (10.2cm) minimum to 15 inches (38.1cm) maximum, 9 1/4 inches (23.5cm) when underneath die cutting in station number 2
Drive: 2 h.p (1.5 kw) D.C. solid state control
Speed: variable from 30 to 300 feet (9.14m to 91.4m) per minute with controlled acceleration and deceleration
The markings on the rollers are 9546, 1188, 6411, 256, R1299, R1298 120 1/8 ,84 1/8 , 64T,76T, 72T, 60T The die cutting rollers with the machine are 116mm diameter flange cutter, large heart cutter on 48T, mini heart cutter on 42T, 2" butt cutter, 4" butt cutter, 47mm diameter circles, 25mm length cutter, 4 AR 4 AC peel off liners, 2 ar 2 ac 66mm diameter, 30mm 2ar 4ac hearts, security seal, perforator, embosser, 40mm 5ac continuous cutter, 47 x 32 square labels 3 ac 6ar, butt cut 1.5, and a satin sheen roller

26491 Kopack Super 250

250mm wide 6 letterpress units plus 1 flexo varnish unit above CI drum Laminating unwind above CI drum Rotary die cutting station Flat bed die cutting station The flat bed die has auto register but needs a power pack . BST web guide UV curing on all stations. NO TOOLING . WORKING ORDER. Code 1 VIEW MACHINE NOW ON YOUTUBE: <http://www.youtube.com/watch?v=jBPJWITwasI&feature=youtu.be>

26428	Kopack 250 super	6 colour machine full UV with flat bed and rotary diecutting, foil attachment, 1000mm CI DRUM,corona treater, UV,BST WEB GUIDE ,NO print auto register. Cylinders with 16 different sizes,GEARS CYLINDERS 52T 0 58T 6 61T 6 62T 6 65T 6 70T 6 75T 6 76T 6 78T 6 80T 6 85T 6 90T 6 95T 6 96T 6 97T 6 100T 6 105T 6 110T 6 MAGNETIC CYLINDERS 80T 85T 90T 95T, Replacement value of tooling alone is AUD \$47000, sensor, spare new ring gear also tools and manuals very good condition code 1
26368	Takashio giken kogyo Slitter	Auto slitter s-300 ,Has 8 slit blades extractor fan for waste 25mm, 40mm and 76mm core rewind holders Just completely serviced by qualified machine technician with new belt s etc good working order, standard machine.
26052	Heidelberg TPLATTEN	standard machine, working condition
25689	Onda 150	2 Colours,uv drying + rewinder, new uv lamp plenty of spares, die cutting.Available Now, Code 1.
25287	Sanki 5 L 220	5 Colour, 220mm web width, Rotary Letterpress with UV, Comes with a Range of Dies and Cylinders, 1X Rotary Die and One Flatbed Die. Extra Colour Added after market. Available Now. Code 1.
25261	Guangzhou Keshenglong KYS Series	2 Colour Automatic High Speed Flexo Printer & Die Cutter for cardboard. Nearly new. Used 19 times. Die Cutting rotary unit not been used. 0 - 120 sheets/minutes Max Sheet size 2800 x 1200 mm ; Max Skip size 2800 x 1500 mm Minimum sheet size 320 x 650 mm Max Board thickness 12mm Printing plate thickness 4.9mm Effective printing range 2800 x 1200mm Machine tracks accommodates 4 colors. Stacker included. Machine in operation. Used only 19 times as contract went offshore. Code 1.
25189	Rapid RD 250	diecutter,with 2 stations and 250mm web width includes a 76 and a 112 tooth mag cylinders. Has a reverse rewind capability that has been retro fitted this allows you to roll the finished stock with labels facing inwards or outwards.Dimensions: 100cm wide 170cm high 140 cm long Weight estimate at under 200kg code 1



24903	Kopack 170	5 colour, UV label machine-3 UV stations, the first UV is after the third letterpress station. The second is after the fourth letterpress station. The third UV. Unit is after the fifth letterpress print unit. Includes assortment of tooling - 6 rotary magnetic die cylinders, many flatbed & flexible dies. 1 x flatbed die station & two rotary die stations. Counter that counts metres & labels, with auto stop. Machine has a foot jogger and a button for jogging the machine. Web guide is manual, & machine comes with various tension controls. (unwind, rewind & waste rewind. This machine was doing 4 colour process work & sprocket (computer labels). All units work. Machine includes 3 new spare lamps, also a few spare rubber rollers. Plate cylinders (67 tooth x 5, 78 tooth x 5, 83 tooth x 5, 86 tooth x 5, 96 tooth x 5, 98 tooth x 5), 1 x sprocket punch, 6 mag die cylinders (78 tooth, 83 tooth, 86 tooth, 2 x 96 tooth, 92 tooth) 12 flat-bed die gears . A large range of flat-bed dies & some flexible knives. Manual and electrical drawings; working condition; Available Now. Videos available on request. Code 1
23494	GEW NA 35 1	15" UV Light , includes one globe, stand alone unit, with cooling fan. Manufactured in Oct 2000, virtually brand new, hardly used. Was used with a Mark Andy On Our Floor. Code 1
23414	Rapid CSR 330	The CSR 250/330 high speed slitter rewinder is a tension controlled slitter, inspection facility- strobe retro fitted available with either a single spindle, dual spindle or turret type rewinder. They come standard with web guiding and tension controlled rewinds. The rewind tension is controlled by a unique pneumatic clutch and radius computer combination allowing very accurate tension control on the run. Perfect condition. Code 1A.
23094	Mark Andy 910	4 colour flexo, 250mm web, 3 Die stations, 2 waste stations, laminate station, hot air drying, dual rewind, web guide, set of 3 slitters, 1500mm sheeter conveyor table (electronic counter, new belts), strobe light, all printing trays, many cylinders and gears, Magnetic Cylinders: 8-1/2 inch, 9 inch, 10 inch, 12 inch, A4, Perferators/sheeters 8-1/2 inch, 9 inch, 10 inch, 12 inch, A4, 1 solid perferator, 1 sproket punch, Replaced drive in computer in July, 2011 for \$5000 . variety of flexible die cutters/plates, perferator/ sheeter blades, does not print on thermal paper on both sides as has no turnbar. Code 1.
22732	Shiki PC30	Web: 180mm, flatbed, goldfoil / laminator, u.v slitter/rewinder (custom made). Can be seen in operation, 1-4 colour. It has got sets of rollers, ink ducts and sets of blades for 2, 3 and 4 colour. On Our Floor.



22562

Auto Punch Diecutter

Punch & die. Can do Blank labels, Adhesive labels. Laminating Pouches. paper & cardboard blanks, vinyl plates. There is no rotary die and machine does not have magnetic rollers. 125 mm web width. 1x 54 x 87, 65 x 95mm & 60 x 95mm. Pneumatic & Electric. Single Phase. Made in USA. Makes individual labels not roll. ON OUR FLOOR. On offer. Code 1 a

Laminators / Coaters

Machine ID	Model	Details
26375	WEN CHYUAN KYU1DRB	UV ROLLER COATERFOR UV VARNISHING 100-500GSM, WITH AUTO FEEDER WITH SPRAY POWDER TAKE OFF UNIT CONSISTING OF VACUUM BRUSH ROLLER & HEATED CALENDARING ROLLER, ROLLER COATER WITH AIR KNIFE SYSTEM, 8M DRYING CONVEYOR (SHEET SIZE 1020 X 1200).The machine average speed is 3000 B1 sheets per hour.Cannot do registered spot coating
26003	DCM Lamina 2 1000	Width 1000mm, 360mt/Minute, Unwind Roll Stand, Softal Corona Application Station, Model: CMIE022-160-1KB2, Rewind Stand, Adhesive Dispensing System, Matrix Catalyst Mix System, Model: M3 (2007), Chillers,CNC Controller,This machine does not have a flying knife, but it can be added and it is a wet glue machine. Electrics And Necessary Installations.
25286	Guangzhou Keshenglong ZBJ	Semi Automatic; Max Width; 600mm X 600mm Good working condition.Hardly used.Puts glue on two pieces of cardboard. Code 1
25062	Paperplast Dry 70	Paperplast Dry 70 Thermal Laminating Machine; Machine Type: 102 ; 2 sided film lamination in one pass with 2 laminating stations.; Max sheet size 1020 x 1140mm Min 250 x 280mm at speed 70m per min ; purchased new; one owner and has done little work and is in almost new condition. Machine can be seen running.Salmal feeder . Can run Paper from 115gsm up to 400um board (500gsm) Made in Italy.
24417	Autobond SD76 5076	Running: Glue Wet-running; Does A1 size; handfeeder; Min sheet size:130x225; Max Sheet Size 720x1020; Can load and do 300 sheets with suction from under; ; 440 Volts; automatic feeder then runs to wheel then wheel to automatic sheeter . Good working condition. Code 1

24040	Hock 120 HLA	Thermal; Film to paper lamination - sheetfed, typically polypropylene film to offset print. Max. sheet size - 1020 mm x 720 mm, min. sheet size - 455 mm x 320 mm. Suitable for precoated thermal films, complete with preload on stream auto-feeder. Auto De-sheeter, Thermal film unwind. The machine is being used for Film Lamination-servicing printers with sheet offset. Current in regular use; Machine had been refurbished and money spent to convert to be like autobond machine; Great for packaging and long-runs; lot more set-up; High quality mirror finish job; no known damage; Code 1
7021	Autobond AFD 76	Running: Glue wet-running and Thermal; Does A1 Size; with auto-feeder at the back - can load on 2000 sheets at a time; min sheet size: 200x300; max sheet size 720 x 1020 mm; good working condition. Code 1



CAN'T FIND WHAT YOU ARE LOOKING FOR ?

We have many machines that are not listed, the details of which are subject to application. In the event you are unable to find a suitable machine on our stocklist, send us your specific requirements and our Sales team will do their best to assist.

Numbering Boxes

Machine ID	Model	Details
26633	HeIDELBERG MO	To suit Heidelberg MO: LEIBINGER 8 x convex forward \$250 each, 1 x straight backward, 2 x convex backward \$250 each; 6 x straight forward; on our floor; code 1
26495	Heidelberg tplatten	many numbering boxes approx 300, also alphabet. used to do raffle tickets
24577	Heidelberg Platten	Numbering Boxes to suit T Platten or GT Platten. Can also be used on Heidelberg S series or K series cylinders. 5 x Forward \$150 each. 22 x backward \$150 each. 3 x backward skip 3 \$150 each. 2 x backward skip 5 \$150 each. 3 x forward skip 2 \$150 each. 2 x forward skip 3 \$150 each. 1 x forward skip 4 \$150 each. ON OUR FLOOR. AVAILABLE NOW.
24574	AB Dick xx	2 x straight backward \$100 each, 1 x straight forward \$100each. AVAILABLE NOW. ON OUR FLOOR.
24572	Ryobi 500	18.8" 1 x convex backward \$100 each. ON OUR FLOOR AVAILABLE NOW.
24571	Fuji 52	22" 1 x convex forward \$200 EACH 1 x straight backward \$200 EACH. ON OUR FLOOR. AVAILABLE NOW.
24570	Itek xx	1 x straight backward skip 2 \$100 each
24569	Uchida xx	5 x straight backward \$200 each, 4 x straight forward \$200 each, 4 x convex forward \$200 each. ON OUR FLOOR AVAILABLE NOW.
24568	Roland Praktika	To suit Roland Praktika: 3 x straight backward \$200 each, 3 x straight backward skip 4 \$200 each, 3 x straight backward skip 5 \$200 each. ON OUR FLOOR. AVAILABLE NOW.
24567	Hamada 700	To suit Hamada 700: 1 x Convex Backward Skip 2 \$150 each, 1 x Convex forward Skip 2 \$150 each, 1 x straight backward \$150each, 3 x straight forward skip 2 \$150 each, 6 x straight backward skip 2 \$150 each, 2 x straight backward skip 4 \$150. ON OUR FLOOR. AVAILABLE NOW.



24565	Ryobi 500 KNP	17" 2 x Convex Backward \$100 each, 2 x convex forward \$100 each, 8 x straight backward \$100 each, 7 x straight forward \$100 each, 1 x convex backward skip 4 \$100 each. ON OUR FLOOR
24563	Heidelberg MO	To suit Heidelberg MO: 3 X convex backward, 9 x straight forward , - LEIBINGER Atlantic 1 x straight forward on our floor; code 1
24562	Heidelberg GTO 46 52	Leibinger GTO Specialised Boxes 2 x straight forward 6 wheels with space . These when used would read 12 4567 with a space between the second and third digit.Price \$200 each ON OUR FLOOR.
24560	Heidelberg GTO 46 52	Herben GTO Specialised Boxes: 2 x straight forward 8 wheels. These when used would read similar to 1 8452671 with a space between the first digit and the second.Price AUD \$200 each .ON OUR FLOOR
24559	Heidelberg GTO 46 or 52	Straight backward 7 Leibinger, Atlantic brand x 2, Blue Ocean brand x 1 Convex backward Leibinger brand x 5, Atlantic brand x 1 Straight forward Leibinger brand x 1, Atlantic brand x 2 Convex forward Leibinger brand x 6, Atlantic brand x 1 Skip 2 straight forward Atlantic brand x 2 Skip2 convex forward Atlantic brand x 1 Skip 3 straight forward Leibinger brand x 2 skip 4 convex forward Atlantic brand x 1 . \$200 each On OUR FLOOR
5898	Rolle xx	Perforating Rings x 9 for Heidelberg K SERIES MACHINES \$150 each
3380	Ryobi x	1 numbering ring, 5 units Straight Backwards, Imprint numbering block, 95 mm. Good condition. ON OUR FLOOR
2637	AM International Multi 1250	Numbering Ring Plus Two Numbering Boxes - 150 Each. Numbering Ring - \$100.

Other Equipment

Machine ID	Model	Details
26775	Nissan Forklift	working condition, Gas, 1.5 tonnes.
25937	Australian Made 00	Computer Rack Virtually New 32RU 600mm Deep Server Rack has the Following Features Heavy duty frame work - Can hold up to 500KG Reversible front tempered glass door Removable side panels Revolving front and side locks Upper Fan tray unit - 4 fans 3 Shelves included Wheels and Stabilizing Feet Rack Mount Markings - eg, 1RU, 20RU 42Ru etc 19" adjustable rails (front and back) Lockable Wheels Earthing Wire code 1
25873	US MADE 1200	DELIVERY table for sheeter, 30 x 40" Can wheel pallet into
25653	wedderburn DS-260 Series pallet scales	pallet scales ; 600kg capacity ; code 1
25534	Australian Universal Racking	4 x uprights at 3.7m high and 16 crossbars, 5 x uprights at 3m high and 26 x crossbeams, x uprights at 2.7m high, 1 x upright at 2.4m high and 1 upright at 2.1m high , 6 x crossbars at 2.6m long and 12 x crossbars at 2.8 m long. \$150 each upright and \$30 each cross bar. 3 x uprights at 2.4 m high
25091	ERA A4	A4 verco unit; variable speed conveyor; code 1
22485	Cascade Kraftsmaster Paper Roll Clamp	Model RK 12D 1 x Reel grab for Forklift, 1050 MM MAX ROLL DIA, width of roll, Can pick up 1200 kgs . Can fit onto 1.5 to 2.5 tonne Forklift. Can go onto any fork Code 1

Packaging

Machine ID	Model	Details
26767	KL High speed plexo plotter YPS-25L	1270 x 2800mm 2 colour Flexo plotter with an automatic stacker in near new condition ex demo model, for box making very good condition
26664	Heiber & Shroder AS1400 DOWN STACKER	Excellent condition Can be viewed in production, fully automatic stacking unit for carton blanks. The unit is positioned at the end of the delivery conveyor of a Window Patching machine. The unit is mounted on wheels and can easily be moved into position, very conveyor in running direction. Delivery conveyor in running direction, Delivery conveyor in cross direction equipped with an electronically controlled lowering mechanism, Stacking guides with pneumatic lift-off, Separate drive (synchronized to Window Patcher).
26663	Heiber & Shroder WPS11 2	2 Lane Operation upto 6 blank window patcher Max output 72,000 / hour
26634	Cambarloc Engineering Star bows	makes star and multi loop bows, working condition with spares. Made in the USA
26561	Shanghai UPG International Sheng Cian TMC 1450C	Sheet size 1200 x 1450 mm, Mounter, can laminate (using wet PVA glue) 2 sheets of corrugated cardboard together bottom auto feeder and manual top sheet with delivery table. Can do - bottom sheet can run ABCEF PLUS FIBRE BOARD AND TOP SHEET B E flute and upto 800gm and paper. Not used at all. Installed 3 weeks ago. Available for sale as Company changing direction.
26528	JBF MASCHINEN Ottico BW 8	Makes twirly ribbon material rolls, tools and manuals still in production
26526	JBF MASCHINEN Ottico BW 8	bow and bobble making machine, tools and manuals still in production
26501	Thrissel Post Arrow TR-FL-S	a complete configured corrugating line with a Agnati direct line drive (knife) it does E,B,C flute with a disc breaking system. It could do up to 1600mm width. runs on average 45-50 metres per minute. Can do twin cushion. Can make corrugated rolls and or sheets. Can be purchased as whole line or single spacer. code 1



25498

DCM Paris IM2 76 20

TWO UNITS. Carton printer which is like new, the unit prints two colours one side then flips the corrugated carton over and flexo prints the other side, it is manual feed and a fast unit, ideal for wine cartons confectionary. Prints corrugated cartons, Owner bought it for a cake maker but now doing some wine carton prints for small wineries, it will handle large and small volumes and requires one operator. Owner purchased both units new the first in 2005 then the second including the flip device in 2007, it has probably had running hours of less than 300 since new. Video is available; Code 1

Pre Press Cameras & Accessories

Machine ID	Model	Details
3650	Schneider xx	240mm. Camera lens
3648	Rodenstock xx	270mm. Camera lens
3647	Eskofot Ultragen	150mm. Camera lens
3646	Nikkar xx	480, 305, 500 mm. \$400 / \$200 / \$500. camera lens
3645	Kokoma xx	36cm x 34cm, Filter For Cromalin Machines.

Pre Press CTP and Plate Makers

Machine ID	Model	Details
26810	Heidelberg Prosetter 74	currently in use and works well the plate setter 52 and 74 size plates it comes with a processor and rip running Metedimention 4.1,using LAPV - Violet agfa plates.Dimensions (W x D x H) 1,730 x 1,385 x 1,560 mm Weight 475 kg Plate format (H x W) Max. 670 x 525 mm min. 370 x 323 mm Imaging area (H x W) Max. 645 x 525 mm Plate thickness 0.15–0.30 mm (6–12 mil)
26405	Agfa LP 68 Ultra	A2 Size,plate maker with a Tiger Cat CTP attached (Tiger Cat needs a new circuit board).Suplus to printers needs, Floor space it takes up is 3.9metres x 1.1metres.Available Now. Code 1.
26349	Kodak creo	fully auto A2 CTP with auto loader, inline punch, online processor for thermal chemical free plates and rip (needs a compressor)It has a preloader that has 1 cassette which is currently set up to take a 550 x 650 plate You can add up to 2 more cassettes if required (total of 3), It has a Mac OSX PSM rip Level 3 with CIP3 output and trapping, There are 23 of 24 lasers still working, all the disks, books and dongles for all software The punch is a 425mm Heidelberg /bacher punch, Also has auto plate stacker
26267	Highwater Python	High Water Python CTP makes up to a 28 Inch plate UV (\$43,000 includes proofer & software below) Comes with GMG Colour Management Software & Epson Pro 7800 Proofer (Ultra Krome K3) 24 Cartridges of ink included
25652	ECRM mako 4 matic	near ECRM RIP Harlequin RIP Version 8.1 with Windows XP + 80 Gig Hard Drive 2007 model computer with new software .Apple Mac OSX Version 10.4.11 with Starproof Version 5.059 2007 model computer with new software Epson Stylus Pro 7800 Proofer, Calibrated to machine.MAKO 4MATIC CTP with New Laser with ECRM CTserver user interface 5.0 Windows XP 40 Gig Hard Drive 40 Gig Back-up 2004 model computer .ONYX 700 chemistry free Processor 2011 (Brand New). Spent \$30,000 on replacement of laser and chemical free processor in April 2011. Can handle A2/A3 plates.



24625 ECRM MAKO4MATIC Mako 4matic computer to plate automatic loading and imaging system consisting of ECRM Harliquin Rip Ver 6.2 ECRM CTserver ver 5.1 ECRM Mako4matic Imaging unit AGFA LP68 Plate processor, stacker. A2 and A3 cassettes with laser replaced in January 2011 and the main board 12 months ago. The machine is a 60uwatt violet laser. Minimum plate size 384mm X 290mm Maximum plate size 635mm X 927mm Plate cassette capacity 60 plates Max line screen 200lpi Resolution 1200 to 3556dpi ,

24478 Prosetter 74 CTP System; Fully automatic with 100 plates on-line, internal punch and on-line processor; Max plate size: 670mm x 750mm; min plate size: 370mm x 323mm; Plate thickness: 0.15 mm to 0.30 mm; 16 plates/hr at 2540 dpi; Violet Laser Diode 405 nm, 5mw/30 mw; Internal Heidelberg punch for SM72/MO; SCL - single cassette loader with 100 x 0.30 plates capacity and automatic slip sheet removal; On-line processor. Good working condition; code 1

Pre Press Digital Printer

Machine ID	Model	Details
25688	Kodak Digimaster BW 9110	49 Million Impressions, 6 Draw Input (4 x A3 draws), Finishing: top exit/stapler/stacker, Stacker: Capacity up to 5,000 sheets, Receiver: Wheeled tote tray, Resolution: 600dpi, Speed: approx 6,500 A4 sheets per hour, Operator Interface: Touch screen or mouse, GOOD working condition Code 1

Pre Press Imagesetters

Machine ID	Model	Details
26696	Agfa panther RM4	standard machine Panthar Pro 46 with processor. Technical specifications can emailed on request

Pre Press Miscellaneous

Machine ID	Model	Details
26809	Bacher TYPE 2045	Bacher control 2000 Plate Register Punch, Type 2045,
26808	Tarng Yun 426	Optical Plate Register punch, 240V, 2x CS LILIN PIH12 display monitors, in built vacuum pump.working condition
26754	protocol A1	standard machine, suit a Komori A1 PRESS
24964	Itek 615S	all intact, no known missing parts; Still in production till mid April. One owner bought new; working condition.ON OUR FLOOR Code 1
23570	Duarte SII 228P	Plate punch to suit Komori SII 228P, Duarte, Manual Punch, can be inspected. BENCH TOP On our Floor Code 1
23506	Itoh Plate Punch TP-30	TP-30 Plate Punch, A4 Sheet Size. ON OUR FLOOR Code 1
9240	Komori YNCA	Optical Plate Punch and Bender to suit Komori L28. Press Plate size 730 x 600 x .3

Screen Printing Machines

Machine ID	Model	Details
26695	Sias Prima Semi Auotmatic	SILK SCREEN MACHINE Print Area: 80 x 120 cm includes sensors, accessories, approximately 5 wooden screens at various sizes, squeegees and scrapers. Made in Italy.Volts: 400 Frequency: 50HZ KW: 6 Outer Dimensions: 308 x 180 cm Machine specifications indicate maximum printable thickness is 5 to 6mm, the maximum LNI has printed is 3mm corflute, 3mm PVC and 2mm aluminium.
26694	Sias Prima Semi Automatic	SEMI AUTOMATIC SILK SCREEN MACHINE Print Area: 80 x 120 cm includes sensors, accessories, approximately 5 wooden screens at various sizes, squeegees and scrapers. Made in Italy Volts: 400 Frequency: 50HZ KW: 6 Outer Dimensions: 308 x 180 cm Machine specifications indicate maximum printable thickness is 5 to 6mm, the maximum LNI has printed is 3mm corflute, 3mm PVC and 2mm aluminium. Excellent working condition
26671	Agfa Azura PT-R8000	Agfa Azura C125 inline processor and Elantrix plate stacker
26523	Heidelberg SIAS PSMATIC SEMI-AUTOMATIC	2000mm width x 1500mm length print area Very versatile machine in good condition.with Svecia Conventional and UV combo Dryer for an additional cost.Had a full refurbishment in June 2010 and is in as new condition
26522	Heidelberg Sias Serifast	800 x 1050 print area. 3/4 Automatic. & 3 stage Conventional Dryer.
26337	Colourgrip 1522	AUTOMATIC SCREEN PRINTING MACHINE,CAN DO 7MM THICKNESS USED FOR COR FLUTE, CORRUGATED BOARD/METAL; sheet size is 1550 x 2150m also comes with a UV Dryer & Tray; made in Italy
26246	Sias Serigra	Can do full colour, 720 x 510mm, Currently printing vinyl stickers,uv coating plus.ALL MANUALS ELECTRICAL,415 VOLTS 50 HZ 125 KW.runs 3000 sheets per hour

25856 Sakurai MF80

MF-80 is Automatic 3/4 mode, Feeder Detachable Flat Bed Press from Sakurai. 4255mmx1600mmx1386mm (LxWxH) Weight 2300kg. Print Size 800 x 585 mm (31" x 23") Speed 1,000 IPH Thickness 0.1 ~ 3 mm

Used produce transfers for ceramic tiles. The printer can handle 11x17" and the price does include the drier 18m long vertical feeding wicker drying machine attachment which is included in the price. Robust cast iron made body structure assures durability for years use and reduces ultimate quality screen printing. For both commercial and industrial screen printed products, the MF-80 can be an ideal solution for variety of printing substrates such as films, boards, name plates, etc., with perfect registration. Can do spot varnish/ UV COATING. Operation manual, parts and wiring manuals

Shrinkwrapper

Machine ID	Model	Details
25437	Beck PACKOUTOMATEN	BECK PACKOUTOMATEN TYPE S17-32, Shrink Tunnel. Fully auto, Working condition Code 1
24953	Sitma 0	A2 HEAT SHRINK TUINNEL, 1 meter long delivery fan delivered with a minipak semi automatic shrink wrapper is fully operational and runs well, shrink up to A2 size parcels
23278	Minipack Shrink Wrapper A2	A2 shrink wrapper, ON THE FLOOR

Slitter/ Rewinder / Sheeters

Machine ID	Model	Details
26757	Ivmar 1000	Sheeter, back/front slitting,(3 phase) one meter wide, unwind unit controlled by photo optic sensor(single phase -240 volts). Type of knife - top and bottom flying rotary slitting knife;Can handle range of paper slit and sheet: min gsm: 60 to 80 gsm and max:350 gsm. Sheet sizes can be varied from the control panel. Operating speed (meters per minute) depends on sheet size, the longer sheets are slower. Your sample material can be brought over to test machine. Machine was designed for label stock. ON OUR FLOOR.Code 1
26623	Australian Paper Equipment JM-2850-1550	A heavy duty Slitter with the capability of high speed converting of a range of materials.– 2850mm wide meter wide slitter, 2 drum rewinder 1500mm O/D unwind and rewind Speed: 1150m/m, 7m long x 3m wide x 3m high good condition
22460	Kraus Board Slitter J.108AN	Slitter can do up to 1 meter wide and has 7 cutting knives; 3 Phase power required. Does single cut up to 8 cuts across; has heavy duty direct cutting wheels; can cut thick magnetic material; manual and material has to be hand-fed; In good working order. On our floor. Code 1.
22418	Benison Slitter Duplex Slitter BJK 300 P	Working Condiiton. 1000mm Max working width. Suplex Slitter. Razor slitting in grooved roller. Trim Fan. Edge Guide. Unwind and rewind tension control. 3 Phase Power. Unwind width: 620mm. Unwind diameter: 450mm. Rewind Width: 50-300mm, Rewind Diameter: 700mm, Inside Core: 3". Machine runs at 200m / minute. Good working condition; one owner; Code 1A.

Spare Parts / Consumables

Machine ID	Model	Details
26386	Heidelberg GTO	Cross Perforating Device TO SUIT GTO PRESSES
25701	Heidelberg Perf Arm	To Suit K line. Available Now. Code 1.
25608	Heideberg trolleys	various size original Heidelberg trolleys 4 trolleys 920 x 660mm ; 4 trolleys 670 x 460mm ; 2 Kora trolleys; 1 trolley 580 x 410mm ; 1 trolley 540 x 390mm
25607	Heideberg cylinder feedboard	1 x cylinder feedboard 620 x 400mm; 2 x Kord feedboards 640 x 450mm
25606	Heideberg Cylinder Chassis	35 Cylinder Chassis in total, 19 KSBA 450 x525mm; 2 KS 520 x 380mm; 1 770 x 610mm; 3 520 x595mm; 2 600 x 720mm; 8 570 x 450mm
25605	Heideberg t platen chassis	20 T Platen Chassis
25604	Heideberg GTO 52 rollers (used)	29 x GTO 52 rollers various types
25603	Heideberg GTO 46 Jacket clamp	1 jacket clamp
25602	Heideberg gto46	gto plate clamps
25601	Heideberg GTO46 numbering rollers	4 x Numbering unit rollers to suit gto 46 (3 rubber and 1 chrome)
25600	Heideberg GTO 46 rollers	20 x GTO 46 rollers of various types (chrome, plastic and rubber)
25599	Heideberg cylinder wash up trays	2 x wash up trays to suit a Kord and a Kors
25598	Heideberg cylinder lock up bars	4 x lock up bars for the heidelberg cylinders 820mm, 770mm, 720mm & 570mm
25597	Heideberg Kora	8 x Kora rollers



24578	Ryobi 3200	4 x 3200 MCD Blankets Size: 330 x 496 mm \$450 each, 4 x 3200 PFA Blankets Size 310 x 486 mm, Part No. 533024268.\$450 each.
24557	Heidelberg GTO Rotary Shell	Rotary Shell 1 x GTO52 \$3500.PART NUMBER- OLD : 69.410.001 & NEW : MV.021.957. Can be used as a over printer.The unit bolts onto the numbering shaft and a plate similar to a label press that sticks on to the rotary shell itself is used with the ink duct from the numbering unit for the colour On our floor
24556	Heidelberg GTO	Trolleys 2 x GTO52 \$500 each. On our floor.
24555	Heidelberg GTO	Feed Board 1 x GTO46 \$200 each. On our floor.
24548	Heidelberg MO	11 x Heidelberg Perforating arms \$1200 each, 4 x Herben perf arms \$ 850 each, 9 x Numbering (mounting) Rings \$300 each. 3 x numbering cams double \$800; 4 x numbering cams R/H \$400 each; 3 x numbering cams L/H \$400 each; ON OUR FLOOR.
24547	Ryobi 500KNP	Nylon plate holder to suit Ryobi 500 KNP \$650 each. 1 x imprint block 95mm \$100 each
24546	Heidelberg S Series	5 x Perforating Heads to suit Heidelberg S Series Machine. \$500 each
24545	Heidelberg K Series	Perforating Heads/blocks to suit Heidelberg K line machine x 9 \$500 each. Perforating arms 2 x Heidelberg with Kline head \$250 each.ON OUR FLOOR
24544	Heidelberg MO	1 x Complete numbering and perforating Units to suit Heidelberg MOPZ with Numbering Shaft, perforating arm and Rings WITH STANDARD ACCESSORIES ON OUR FLOOR CODE 1 \$3000 EACH.
24543	Heidelberg GTO	To suit GTO: Heidelberg NUMBERING CAMS: 2 Liebinger x double sided(1 cam that does left and right) \$400 each, 3 Liebinger x left hand \$300 each, 4 Liebinger x right hand \$300 each,10 x Herben magna cams \$275 each ; 9 x Heidelberg NUMBERING RINGS \$350 each, 1 x Herben Perforating Arms \$350 each, 5 x Heidelberg perf arms with K head \$700 each, 9 x Heidelberg perf arms \$500 each; 10 x Herben perf arms \$350 each ; NUMBERING BLOCKS 8 x 45mm \$175 each, 10 x 35mm \$150 each. On our floor
23718	Heidelberg GTO 46	Rear plate clamp kit for GTO 46. ON OUR FLOOR Code 1
23586	Heidelberg Chases	8 Chasis to suit a Heidelberg Cylinder 38 x 52 at \$250 each plus gst exsite. Postage or freight additional cost.



23164	AM International Multi	Various parts for AM International Multi 1650. Blanket Clamps (1), Offers Considered, \$AUD 150. 23 x Rollers for AM Multi 1250 @ \$60 each or \$1,000 for the lot. (3) Bars, Offers Considered, \$AUD 150. (1) Handle. (4) Belt Guides, \$AUD 120 each. (2) Blanket Clamps, \$100 Set. 1 x 5481 - 52 (Block) (7) Blankets, \$6 each. Code 1.
23163	Hamada 800	50-40 Roller Covers x 4, Offers Considered. Code 1.
23162	Hamada 700	Rollers Fair Cord, Gripper Bars Del - 1 Complete Set, A. Guards. Code 1.
23161	Hamada 600	35-25 Roller Covers x 3, Offers Considered. Code 1.
23158	Heidelberg KORD 64	3 x Delivery Trolleys, \$220 each. Code 1.
23157	Heidelberg KORD 64	Nyto Shell, for Plastic Plates.2 shells in stock one is a chrome Kord shell 65cm wide the other is a 52 cm print area. Code 1.
23156	Heidelberg SORSZ	(4) Roller Covers (Steel). Code 1.
23155	Heidelberg SORDZ	Delivery Trolleys (4). \$400 each. Code 1.
23107	Heidelberg SBG	1x paper trolley for Heidelberg SBG cylinder.
23104	Heidelberg SORD	26 brand new Rollers for a Heidelberg SORD [AUD \$150 per roller].
23103	Heidelberg SBG	1 x feeder board 30" for SBG Cylinder
23101	Heidelberg GTO 52	Brand New. 2 sets of rollers (24) including 3 dampener rollers + 2 sets of ink rollers except dampener rollers (18). \$90 each roller exsite plus gst and delivery.
22860	Heidelberg Speedmaster 102	See attached list for detailed description. Photos can be sent on request ; On our floor. Code 1.
22859	sunraiser parts	Sunraiser verko see attached photos for detailed descriptions. ON OUR FLOOR. CODE 1
22858	Stahl Stahl Folder Parts	See attached list for detailed description. Photos can be sent on request; ON OUR FLOOR. CODE 1



22856	Polar Polar Guillotine parts	Spare parts see attached for detailed description. Includes polar board for Polar 155 EMC, APPROX. 1985+ ZA3.015.357 .ON OUR FLOOR. Code 1
22632	Heidelberg QM46 NUM UNIT	With 2 numbering boxes, 2000 model one convex and one straight numbering box. 1 x left numbering cam, 1 x right cam, 1 double sided cam, 2 rings ON OUR FLOOR Code 1
10071	Komori Parts List	Sample of the parts included in the package; 3XAreo pump rebuild kits, 1XMain drive shaft, 3XDelivery weights. 1XHolder, 20XSolenoid filters, 40XButton Cap. Plus motors and much more Most of the Komori parts 98% new and the only parts that are second hand are 1: Komori button assemblies 2: the Komori floats 3: the plate scanner board 4: the delivery weights 5: solenoid valve part no 370-8100-170 (1 only the rest are new) 6: dampener air cylinder 444-4284-014 (4 only the rest are new) 7: the side motor PNB-10152 this is reconditioned .See attached list for detailed description. Photos can be sent on request. On our Floor Code 1
9457	Paper Pallets x	45,000 sheets. Working condition. Code 1
8627	Heideberg 00	1 x new lock up bar to suit "S" cylinder 770 mm wide.
4270	Polar xx	Part for Polar 115CE - Part No. : 208164 (Brand New).
3385	Ryobi 480	Parts - 2 x 5481 -94 (Holden),
3381	Australian Made xx	Perf Strips For Any Guillotine, Offers Considered.
3368	Heidelberg GTO	Gripper Tension Spring (5).

Web Presses/Business Form

Machine ID	Model	Details
26615	Toshiba 750	<p>16 page. 546 mm x 880 mm 4 units - 45,000 per hour 4/4 printing units with all ancillaries.with Butler splicer Toshiba infeed AGM imprinter 4 print units Megtec dryer and Megtec Afterburner Toshiba chills AGM prefolder - one in and four out - with ability to move ribbons to any position. AGM cross gluer to apply glue in any direction across the web. Plow folder to fold gates Toshiba combination folder Chopper fold Double parallel fold Muller martini rotary trimmer with two trimming heads and bump turn Conveyor and into a Toshiba stacker There is no cylinder damage or repair works required. Will print test job at high speed. Presently running 2-3 weeks per month. Available February,2012</p>
25376	Ryobi 4502MCS	<p>4502 mcs offset press for continuous stationery Printing is NEW MODEL OF 3202 MCS BUT SIZE IS BIGGER - Max Form width is 18" (3202 MCS max form width is 14"); 2.3 Mil Imp molleton dampening,micro computer controlled tractor feeding, paper tension, working condition. No known damage; machine complete with plate punch and manuals. Code 6</p>

24587 Giebeler R 520

Reel to sheet.6 colour. USED FOR SECURITY PRINTING-CHEQUES ETC Roll stand, roll diameter max. 1270mm (50")
Printing width 520mm 6 X 22" offset printing units. Includes one undercut unit for Dry Offset. 4 X 24" offset printing units. 3 X 17" offset printing units.1 x UV AT end.Was running the Press around 120 – 150 meters a minute. Includes one undercut unit for Dry Offset.NO NUMBERING. All units have Stick on Blankets Two (2) Trolleys for unit size change. Evtec sheeter Technotrans water system (Dahlgren system) Giebeler has 6 wet offset towers with 5 x 22" inserts being undercut to suite a .2mm printing plate.The 6th insert is undercut for dry offset plate .73mm which also can be under packed to take a wet offset .2mm plate Dry offset plate is clamped on same as wet offset plate.17" print inserts take a .2mm plate.24" print inserts take a .3mm plate.UV is water cooled with cooling unit separate from machine.17" perforation cylinder x 1 22" perforation cylinder x 1 24" perforation cylinder x 2 Length perforation tools (holders) x 4 Length cutting (slitter holders) tools x 3Length cutting gears for sheeting size 1 x 17" 1 x 22" 1 x 24 working condition; Machine disconnected 20 February,2012 code 1
